

HUBUNGAN *SELF-EFFICACY* DENGAN KUALITAS HIDUP PASIEN PENYAKIT GINJAL KRONIS YANG MENJALANI HEMODIALISIS DI INSTALASI HEMODIALISA RSUD KOTA YOGYAKARTA

Fahmuji Kusbiantoro¹, Wahyu Rizky², Sofyan Indrayana³

Email: fahmuji.amd@gmail.com

INTISARI

Latar Belakang : Pasien penyakit ginjal kronis (PGK) tahap akhir akan mempertahankan hidupnya dengan melakukan terapi hemodialisis (HD). Pasien PGK yang menjalani HD dengan *self-efficacy* yang tinggi, mereka dapat melakukan terapi dan diet dengan baik sehingga kualitas hidupnya meningkat, dan begitu pula sebaliknya.

Tujuan Penelitian : Mengetahui hubungan *self-efficacy* dengan kualitas hidup pasien PGK yang menjalani hemodialisis di Instalasi hemodialisa di RSUD Kota Yogyakarta.

Metode Penelitian : Penelitian ini merupakan penelitian kuantitatif dengan pendekatan *Cross Sectional* sebanyak 32 diambil menggunakan tehnik *total sampling* dengan kriteria responden pertama kali menjalani HD atau kurang dari 6 bulan. Kuesioner yang digunakan menggunakan kuesioner KDQOL-SF 1.3 dan *self-efficacy* pasien HD. Uji statistik yang digunakan adalah uji *Pearson Correlation*.

Hasil Penelitian : Pengelolaan data dilakukan dengan analisis uji *Pearson Correlation* dengan nilai r hitung sebesar 0,396 yang berarti terdapat hubungan yang lemah antar variabel. Nilai signifikansi menunjukkan $p < 0,05$ maka H_a akan diterima dan H_o akan ditolak yang berarti antar variable terdapat hubungan yang signifikan.

Kesimpulan : Ada hubungan yang signifikan antara *self-efficacy* dengan kualitas hidup pasien PGK, yang menjalani HD di Instalasi Hemodialisa RSUD Kota Yogyakarta.

Kata kunci : Hemodialisis, Kualitas hidup, Penyakit ginjal kronis, *Self-efficacy*.

¹ Mahasiswa Prodi Sarjana Keperawatan, Fakultas Ilmu-Ilmu Kesehatan Universitas Alma Ata Yogyakarta

² Dosen Prodi Administrasi Rumah Sakit, Fakultas Ilmu-Ilmu Kesehatan Universitas Alma Ata Yogyakarta

³ Dosen Prodi Sarjana Keperawatan, Fakultas Ilmu-Ilmu Kesehatan Universitas Alma Ata Yogyakarta

**THE RELATION BETWEEN SELF-EFFICACY AND LIFE QUALITY OF
CHRONIC KIDNEY DISEASE PATIENTS WHO UNDERGO
HEMODIALYSIS IN HEMODIALYSIS INSTALLATION OF RSUD KOTA
YOGYAKARTA**

Fahmuji Kusbiantoro¹, Wahyu Rizky², Sofyan Indrayana³

Email: fahmuji.amd@gmail.com

ABSTRACT

Background: The patients of the final stage of chronic kidney disease (CKD) will maintain their life by doing hemodialysis (HD) therapy. Patients of CKD that undergoes HD with high self-efficacy, can perform decent therapy and diet therefore having a better life quality and vice versa.

Research Purpose: To know the relation between self-efficacy and the life quality of CKD patients who undergo hemodialysis in Hemodialysis Installation of RSUD Kota Yogyakarta.

Research Method: This is a quantitative research using cross sectional approach 32 respondents were taken using total sampling technique with the criteria of respondents being the first time patient to undergo HD or less than 6 months. Questionnaire used is KDQOL-SF 1.3 and HD patient self-efficacy. The statistical test used is Pearson Correlation.

Result: Data processing was done using Pearson Correlation test analysis with the value of r equals to 0,396 which means there is a weak relation between variables. The significance value shows $p < 0,05$ therefore H_a will be accepted and H_o will be rejected which means that there is a significant relation between variables.

Conclusion: There is a significant relation between self-efficacy and the life quality of CKD patients who undergo HD in Hemodialysis Installation of RSUD Kota Yogyakarta.

Keywords: Hemodialysis, Life quality, Chronic Kidney Disease, Self-efficacy.

¹ Nursery Student, Faculty of Medicine in Universitas Alma Ata Yogyakarta

² Lecturer of Hospital Administration Program, Faculty of Medicine in Universitas Alma Ata Yogyakarta

³ Lecturer of Nursery Program, Faculty of Medicine in Universitas Alma Ata Yogyakarta