

HUBUNGAN POLA ASUH ORANG TUA DENGAN KEJADIAN PNEUMONIA PADA BALITA DI WILAYAH KERJA PUSKESMAS JETIS II BANTUL YOGYAKARTA

Adi Pariantto¹, Anafrin Yugistyowati², Nindita Kumalawati Santoso³

adhipariantto22@gmail.com

INTISARI

Latar Belakang: Pneumonia merupakan penyakit infeksi yang menyebabkan utama kematian pada anak balita di seluruh Dunia. Pneumonia adalah infeksi akut yang mengenai jaringan paru-paru (alveoli) yang ditandai dengan batuk disertai nafas cepat atau sesak yang disebabkan oleh berbagai mikroorganisme seperti bakteri, virus, jamur dan benda-benda asing. Angka kematian akibat pneumonia di seluruh dunia pada anak dengan usia di bawah 5 tahun sebesar 15%. Pengasuhan atau pola asuh orang tua diketahui memiliki korelasi dengan kejadian pneumonia pada anak balita.

Tujuan Penelitian: Mengetahui hubungan pola asuh orang tua dengan kejadian pneumonia pada balita di Wilayah Kerja Puskesmas Jetis II Bantul Yogyakarta.

Metode Penelitian: Penelitian ini menggunakan metode korelasional yang bersifat kuantitatif. Desain yang digunakan dalam penelitian ini adalah deskriptif korelatif dengan pendekatan *retrospektif*. Populasi dalam penelitian ini adalah balita yang mengalami pneumonia di Wilayah Kerja Puskesmas Jetis II Bantul Yogyakarta dengan jumlah 57 anak balita mulai dari bulan Januari tahun 2017 sampai bulan Maret tahun 2018. Sampel penelitian diambil dengan teknik *total sampling* yang sesuai dengan kriteria inklusi dan eksklusi. Data diambil dengan menggunakan kuesioner pola asuh orang tua dan lembar dokumentasi kejadian pneumonia kemudian dianalisis menggunakan uji statistik *Chi Square*.

Hasil Penelitian: Mayoritas pola asuh orang tua dalam kategori sedang sebanyak 27 balita (47,4%), sedangkan kejadian pneumonia pada balita adalah balita yang terdiagnosa pneumonia sejumlah 51 balita (89,5%). Uji *chi square* didapatkan nilai p sebesar 0,000 (p-value <0,05).

Simpulan: Ada hubungan yang signifikan antara variabel pola asuh orang tua dengan kejadian pneumonia pada balita di Wilayah Kerja Puskesmas Jetis II Kabupaten Bantul Yogyakarta.

Kata Kunci: Balita, Pneumonia, Pola Asuh.

^{1,2,3} Program Studi Ners Universitas Alma Ata Yogyakarta

**THE RELATION BETWEEN PARENTING AND PNEUMONIA IN
INFANTS IN JETIS II PUBLIC HEALTH CENTER
BANTUL YOGYAKARTA**

Adi Pariantto¹, Anafrin Yugistyowati², Nindita Kumalawati Santoso³

adhipariantto22@gmail.com

ABSTRACT

Background: Pneumonia is an infection which is the main cause of infants across the world. Pneumonia is an acute infection on pulmonary tissues (alveoli) which is characterized by coughing and rapid breathing or shortness of breath due to various microorganisms, such as bacterium, virus, fungi and foreign objects. The mortality rate of pneumonia across the world in children under 5 years old is 15%. Parenting is known to be correlated with pneumonia in infants.

Research Purpose: To determine the relation between parenting and pneumonia in infants in the working area of Jetis II Public Health Center, Bantul, Yogyakarta.

Research Method: This study used quantitative correlational method. The design used in this study was descriptive correlative with retrospective approach. The research population was 74 infants with pneumonia in the working area of Jetis II Public Health Center, Bantul, Yogyakarta from January 2017 to March 2018. The research sample was collected by total sampling technique which is in accordance with inclusion and exclusion criteria. The data was collected using parenting questionnaire and pneumonia incidence documentation sheet, then analyzed using Chi Square statistical test.

Research Result: Most parenting was moderate (27 infants or 47.4%), while infants diagnosed with pneumonia were 51 infants (89.5%). Chi square test shows p value of 0.000 (p-value <0,05).

Conclusion: There was significant relation between parenting and pneumonia in infants in the working area of Jetis II Public Health Center, Bantul, Yogyakarta.

Keywords: Infant, Pneumonia, Parenting.

^{1,2,3}Nursing Science Program University of Alma Ata Yogyakarta