

HUBUNGAN TINGKAT KEPUASAN PELAYANAN ANTENATAL CARE DENGAN MOTIVASI IBU HAMIL DALAM MENGKONSUMSI TABLET FE DI PUSKESMAS SEDAYU 1 DAN PUSKESMAS SEDAYU II

INTISARI

Ayu Lestari¹, Susiana Sariyati², Farida Aryani³

Latar Belakang: Menurut Kemenkes RI ibu hamil untuk melakukan pengecekan kehamilan sebanyak empat kali, yaitu satu kali pada trimester pertama (K1), satu kali pada trimester kedua, dan dua kali pada trimester ketiga (K4). Berdasarkan Kemenkes RI (2013), cakupan K4 pelayanan antenatal di Indonesia tahun 2015 adalah 87,48%. Standar pelayanan antenatal terpadu untuk mengatasi kondisi anemia adalah pemberian suplemen zat besi. Dalam sebuah hasil penelitian menunjukkan tingkat kepuasaan ibu hamil di puskesmas sleman sebanyak 50% sedangkan di puskesmas ngaklik 1 sebanyak 30% dan 20%. Data dari register puskesmas Sleman, kunjungan antenatal bulan Oktober 2015 sebanyak 186 kunjungan dengan trimester 1 sebanyak 50 kunjungan, trimester II sebanyak 43 kunjungan dan trimester III sebanyak 93 kunjungan. Pada bulan November 2015, terdapat 138 kunjungan antenatal dengan kunjungan trimester 1 sebanyak 43 kunjungan, trimester II sebanyak 34 kunjungan dan trimester III sebanyak 61 kunjungan.

Tujuan Penelitian: Untuk mengetahui hubungan tingkat kepuasaan pelayanan *Antenatal Care* dengan motivasi ibu hamil mengkonsumsi Tablet Fe di Puskesmas Sedayu I dan II

Metode Penelitian: Penelitian ini merupakan penelitian analitik kuantitatif dan menggunakan rancangan penelitian *cross sectional*. Teknik pengambilan sampel pada penelitian ini menggunakan teknik Kuota Sampling

Hasil Penelitian: . Diperoleh bahwa ibu yang sangat setuju pada pelayanan anc sebanyak 58,8% dan yang setuju sebanyak 41,2%. Hasil uji analisa diperoleh nilai signifikansi pada Tingkat kepuasaan pelayanan antenatal care $p=0,044$, Motivasi ibu dalam mengkonsumsi tablet Fe $p= 0,044$.

Kesimpulan: Bahwa ada hubungan antara Tingkat kepuasaan Pelayanan *Antenatal Care* dengan Motivasi Ibu dalam Mengkonsumsi Tablet Fe di Puskesmas Sedayu I dan Puskesmas Sedayu II.

Kata Kunci: Pelayanan *Antenatal Care*, Motivasi Ibu Mengkonsumsi Tablet Fe

¹Mahasiswa DIII Prodi Kebidanan FIKES Universitas Alma Ata Yogyakarta

²Dosen Pembimbing I FIKES Universitas Alma Ata Yogyakarta

³Dosen Pembimbing II FIKES Universitas Alma Ata Yogyakarta

RELATIONSHIP OF SATISFACTION SERVICES ANTENATAL CARE WITH THE MOTIVATION OF PREGNANT WOMEN IN CONSUME TABLET FE IN HEALTH SEDAYU 1 AND II

ABSTRACT

Ayu Lestari¹, Susiana Sariyati², Farida Aryani³

Background: According to the MoH RI pregnant women to check the pregnancy as much as four times, ie one times in the first trimester (K1), once in the second trimester, and twice in the third trimester (K4). Based on the Indonesian Ministry of Health (2013), the coverage of K4 for antenatal care in Indonesia in 2015 was 87.48%. The standard for integrated antenatal care to treat anemia is iron supplementation. In a study the results showed the satisfaction of pregnant women in the sleman health center as much as 50% while those in the puskesmas clicked 1 as much as 30% and 20%. Data from the Sleman health center register, antenatal visits in October 2015 were 186 visits with the first trimester as many as 50 visits, the second trimester as many as 43 visits and the third trimester as many as 93 visits. In November 2015, there were 138 antenatal visits with a first trimester visit of 43 visits, 34 in the second trimester and 61 in the third trimester.

Purposes of Research : To determine the relationship between the level of satisfaction of Antenatal Care services and the motivation of pregnant women consuming Fe Tablets at Sedayu I and II Puskesmas.

Research Methods: This was a quantitative analytic study and used a study design *cross-sectional*. The sampling technique in this study using techniques Quota Sampling

Results:: It was found that mothers who strongly agreed on ancillary services were 58.8% and those who agreed were 41.2%. The results of the analysis test obtained significance values at the level of satisfaction of antenatal care services $p = 0.044$, the motivation of mothers to consume Fe tablets $p = 0.044$.

Conclusion: That there is a relationship between the level of satisfaction of Antenatal Care Services and the Motivation of Mothers in Consuming Fe Tablets at Sedayu I Health Center and Sedayu II Health Center.

Keywords: Services Antenatal Care, Motivation for Mother Consuming FeTablet

¹Students of DIII Midwifery Study Program FIKES University Alma Ata Yogyakarta

²Supervisor I FIKES Universitas Alma Ata Yogyakarta

³Supervisor II FIKES Universitas Alma Ata Yogyakarta

